ELSEVIER

European Journal of Pharmacology 311 (1996) 315–317

ejp

Author index

Akil, H., see Meng, F. (311) 285
Andersen, P.H., Tygesen, C.K., Rasmussen, J.S., Søegaard-Nielsen, L., Hansen, A., Hansen, K., Kiemer, A. and Stidsen, C.E.
Stable expression of homomeric AMPA-selective glutamate receptors in BHK cells (311) 95
Asano, M., Kuwako, M., Nomura, Y., Suzuki, Y., Shibuya, M., Sugita, K. and Ito, K.
Possible mechanism of the potent vasoconstrictor responses to ryanodine in dog cerebral arteries (311) 53

Barcellini, W., see Nicoletti, F. (311) 213
Barnes, J.C., see Brown, J.D. (311) 305
Bazan, E., Campbell, A.K. and Rapoport, R.M.
Erratum to 'Time course of phorbol ester-induced contraction and protein kinase C activation in rat aorta'. [Eur. J. Pharmacol. Mol. Pharmacol. Sect. 290 (1995) 253–257] (311) 101
Beltrami, B., see Nicoletti, F. (311) 213
Beswick, P., see Brown, J.D. (311) 305
Bézie, Y., Mesnard, L., Longrois, D., Samson, F., Perret, C., Mercadier, J.-J. and Laurent, S.
Interactions between endothelin-1 and atrial natriuretic peptide influence cultured chick cardiac myocyte contractility (311) 241
Bhargava, H.N., Zhao, G.-M., House, R.V. and Thomas, P.T.
Effects of chronic administration of 7-benzylidene-7-dehydronaltrexone and naltriben on the antinociceptive actions of δ_1- and δ_2-opioid receptor agonists (311) 127
Bianchi, C., see Calò, G. (311) R3
Bogoni, G., see Calò, G. (311) R3
Boja, J.W., see Fleckenstein, A.E. (311) 109
Borella, F., see Gorio, A. (311) 21
Borghi, M.O., see Nicoletti, F. (311) 213
Borsini, F., see Pitsikas, N. (311) 115
Brown, J.D., O'Shaughnessy, C.T., Kilpatrick, G.J., Scopes, D.I.C., Beswick, P., Clitherow, J.W. and Barnes, J.C.
Characterisation of the specific binding of the histamine H_3 receptor antagonist radioligand [^{3}H]GR168320 (311) 305
Bunn, S.J., see Loneragan, K. (311) 87
Burcher, E., see Strigas, J. (311) 177

Calixto, J.B., see Teixeira, R.M. (311) 7
Calò, G., Rizzi, A., Bogoni, G., Neugebauer, V., Salvadori, S., Guerrini, R., Bianchi, C. and Regoli, D.
The mouse vas deferens: a pharmacological preparation sensitive to nociceptin (311) R3
Campbell, A.K., see Bazan, E. (311) 101
Carroll, F.I., see Fleckenstein, A.E. (311) 109
Cheah, T.B., see Loneragan, K. (311) 87
Christie, M.J., see Nguyen, V.H. (311) 233
Clitherow, J.W., see Brown, J.D. (311) 305
Compton, D.R., see Moore, K.A. (311) 133

De Lima, T.C.M., see Teixeira, R.M. (311) 7
Del Papa, N., see Nicoletti, F. (311) 213
Deng, H.-W., see Li, Y.-J. (311) 163
Di Giulio, A.M., see Gorio, A. (311) 21
Donadoni, M.L., see Gorio, A. (311) 21
Dun, N.J., see Narita, M. (311) 121
Dun, S.L., see Narita, M. (311) 121

Eltze, M.
Functional evidence for an α_{1B}-adrenoceptor mediating contraction of the mouse spleen (311) 187
Erdõ, S.L., see Molnár, P. (311) 311
Etienne, P., Parés-Herbuté, N. and Monnier, L.
Regulation of growth of cultured smooth muscle cells from diabetic rats by interleukin-1β: role of nitric oxide (311) 79

Fain, C., see Nicoletti, F. (311) 213
Farr, S., see Morley, J.E. (311) 15
Finco, C., see Gorio, A. (311) 21
Fleckenstein, A.E., Kopajtic, T.A., Boja, J.W., Carroll, F.I. and Kuhar, M.J.
Highly potent cocaine analogs cause long-lasting increases in locomotor activity (311) 109
Flood, J.F., see Morley, J.E. (311) 15
Fukasawa, H., see Hotta, N. (311) 199
Fuller, R.W., see Hemrick-Luecke, S.K. (311) 207
Furuhama, K., see Zafirov, D. (311) 61

García-Sáinz, J.A., Romero-Avila, M.T. and González-Espinosa, C.
Coexpression of α_{1A}- and α_{1B}-adrenoceptors in the liver of the rhesus monkey (*Macaca mulatta*) (311) 277
George, S.R., see Ng, G.Y.K. (311) 45
Gerhardt, C.C., Leysen, J.E., Planta, R.J., Vreugdenhil, E. and Van Heerikhuizen, H.
Functional characterisation of a 5-HT$_2$ receptor cDNA [1] cloned from *Lymnaea stagnalis* (311) 249
González-Espinosa, C., see García-Sáinz, J.A. (311) 277
Gorio, A., Donadoni, M.L., Finco, C., Borella, F. and Di Giulio, A.M.
Alterations of protein mono-ADP-ribosylation and diabetic neuropathy: a novel pharmacological approach (311) 21
Guerrini, R., see Calò, G. (311) R3

Hamada, Y., see Hotta, N. (311) 199
Hansen, A., see Andersen, P.H. (311) 95
Hansen, K., see Andersen, P.H. (311) 95
Hara, T., see Hotta, N. (311) 199
Hasegawa, Y., see Kobayashi, H. (311) 29
Hashii, M., see Katsumori, H. (311) 37
Hashimoto, S., see Inoue, T. (311) 1
Hassan, A.H.S., see Mousa, S.A. (311) 221
Hemrick-Luecke, S.K. and Fuller, R.W.
Involvement of 5-HT$_{2A}$ receptors in the elevation of rat serum corticosterone concentrations by quipazine and MK-212 (311) 207
Higashida, H., see Katsumori, H. (311) 37
Ho, I.K., see Kimura, T. (311) 265

Hotta, N., Koh, N., Sakakibara, F., Nakamura, J., Hamada, Y., Hara, T., Fukasawa, H., Kakuta, H. and Sakamoto, N.
Effect of propionyl-L-carnitine on oscillatory potentials in electroretinogram in streptozotocin-diabetic rats (311) 199
House, R.V., see Bhargava, H.N. (311) 127
Hoversten, M.T., see Meng, F. (311) 285

Inoue, T., Hashimoto, S., Tsuchiya, K., Izumi, T., Ohmori, T. and Koyama, T.
Effect of citalopram, a selective serotonin reuptake inhibitor, on the acquisition of conditioned freezing (311) 1
Ito, K., see Asano, M. (311) 53
Ito, Y., see Katsumori, H. (311) 37
Izumi, T., see Inoue, T. (311) 1

Johnston, G.A.R., see Nguyen, V.H. (311) 233

Kakuta, H., see Hotta, N. (311) 199
Kamato, T., see Nagakura, Y. (311) 67
Kassiou, M., see Nguyen, V.H. (311) 233
Katsumori, H., Ito, Y., Higashida, H., Hashii, M. and Minabe, Y.
Anti- and proconvulsive actions of levcromakalim, an opener of ATP-sensitive K^+ channel, in the model of hippocampus-generating partial seizures in rats (311) 37
Kiemer, A., see Andersen, P.H. (311) 95
Kilpatrick, G.J., see Brown, J.D. (311) 305
Kimura, T., Kuze, J., Watanabe, K., Kondo, S., Ho, I.K. and Yamamoto, I.
N^3-Phenacyluridine, a novel hypnotic compound, interacts with the benzodiazepine receptor (311) 265
Kits, K.S., see Mansvelder, H.D. (311) 293
Kobayashi, H., Hasegawa, Y. and Ono, H.
Cyclobenzaprine, a centrally acting muscle relaxant, acts on descending serotonergic systems (311) 29
Koh, N., see Hotta, N. (311) 199
Kondo, S., see Kimura, T. (311) 265
Kopajtic, T.A., see Fleckenstein, A.E. (311) 109
Koyama, T., see Inoue, T. (311) 1
Kuhar, M.J., see Fleckenstein, A.E. (311) 109
Kumar, V.B., see Morley, J.E. (311) 15
Kuwako, M., see Asano, M. (311) 53
Kuze, J., see Kimura, T. (311) 265

Lambert, G. and Michalicek, J.
Effect of antimigraine drugs on dural blood flows and resistances and the responses to trigeminal stimulation (311) 141
Laurent, S., see Bézie, Y. (311) 241
Leventhal, L., see Rossi, G.C. (311) R7
Leysen, J.E., see Gerhardt, C.C. (311) 249
Li, Y.-J., Xiao, Z.-S., Peng, C.-F. and Deng, H.-W.
Calcitonin gene-related peptide-induced preconditioning protects against ischemia-reperfusion injury in isolated rat hearts (311) 163
Loneragan, K., Cheah, T.B., Bunn, S.J. and Marley, P.D.
The role of protein kinase C in nicotinic responses of bovine chromaffin cells (311) 87
Longrois, D., see Bézie, Y. (311) 241

Mansvelder, H.D., Stoof, J.C. and Kits, K.S.
Dihydropyridine block of ω-agatoxin IVA- and ω-conotoxin GVIA-sensitive Ca^{2+} channels in rat pituitary melanotropic cells (311) 293
Marley, P.D., see Loneragan, K. (311) 87
Mattammal, M.B., see Morley, J.E. (311) 15
Meng, F., Ueda, Y., Hoversten, M.T., Thompson, R.C., Taylor, L., Watson, S.J. and Akil, H.
Mapping the receptor domains critical for the binding selectivity of δ-opioid receptor ligands (311) 285
Mercadier, J.-J., see Bézie, Y. (311) 241
Meroni, P.L., see Nicoletti, F. (311) 213
Mesnard, L., see Bézie, Y. (311) 241
Michalicek, J., see Lambert, G. (311) 141
Minabe, Y., see Katsumori, H. (311) 37
Mirshahi, T., see Moore, K.A. (311) 133
Mitchell, W.M., see Mousa, S.A. (311) 221
Miyata, K., see Nagakura, Y. (311) 67
Molnár, P. and Erdõ, S.L.
Differential effects of five glycine site antagonists on NMDA receptor desensitisation (311) 311
Monnier, L., see Etienne, P. (311) 79
Moore, K.A., Mirshahi, T., Compton, D.R., Poklis, A. and Woodward, J.J.
Pharmacological characterization of BNMPA (α-benzyl-*N*-methylphenethylamine), an impurity of illicit methamphetamine synthesis (311) 133
Morley, J.E., Kumar, V.B., Mattammal, M.B., Farr, S., Morley, P.M.K. and Flood, J.F.
Inhibition of feeding by a nitric oxide synthase inhibitor: effects of aging (311) 15
Morley, P.M.K., see Morley, J.E. (311) 15
Mottola, L., see Nicoletti, F. (311) 213
Mousa, S.A., Schäfer, M., Mitchell, W.M., Hassan, A.H.S. and Stein, C.
Local upregulation of corticotropin-releasing hormone and interleukin-1 receptors in rats with painful hindlimb inflammation (311) 221

Nagakura, Y., Naitoh, Y., Kamato, T., Yamano, M. and Miyata, K.
Compounds possessing 5-HT_3 receptor antagonistic activity inhibit intestinal propulsion in mice (311) 67
Naitoh, Y., see Nagakura, Y. (311) 67
Nakamura, J., see Hotta, N. (311) 199
Narita, M., Dun, S.L., Dun, N.J. and Tseng, L.F.
Hyperalgesia induced by pituitary adenylate cyclase-activating polypeptide in the mouse spinal cord (311) 121
Neugebauer, V., see Calò, G. (311) R3
Nève, J., see Parij, N. (311) 259
Ng, G.Y.K., O'Dowd, B.F. and George, S.R.
Genotypic differences in mesolimbic enkephalin gene expression in DBA/2J and C57BL/6J inbred mice (311) 45
Nguyen, V.H., Kassiou, M., Johnston, G.A.R. and Christie, M.J.
Comparison of binding parameters of σ_1 and σ_2 binding sites in rat and guinea pig brain membranes: novel subtype-selective trishomocubanes (311) 233
Nicoletti, F., Borghi, M.O., Barcellini, W., Fain, C., Beltrami, B., Del Papa, N., Schorlemmer, H.U., Mottola, L. and Meroni, P.L.
Immunosuppressive activity of 15-deoxyspergualin on normal and autoimmune peripheral blood mononuclear cells (311) 213
Nihonyanagi, K. and Oba, T.
Gold ion inhibits silver ion induced contracture and activates ryanodine receptors in skeletal muscle (311) 271
Nomura, Y., see Asano, M. (311) 53

Oba, T., see Nihonyanagi, K. (311) 271
O'Dowd, B.F., see Ng, G.Y.K. (311) 45
Ohmori, T., see Inoue, T. (311) 1
Okamura, T., see Zhang, J.-X. (311) 169
Ono, H., see Kobayashi, H. (311) 29
O'Shaughnessy, C.T., see Brown, J.D. (311) 305

Parés-Herbuté, N., see Etienne, P. (311) 79
Parij, N. and Nève, J.
Nonsteroidal antiinflammatory drugs interact with horseradish peroxidase in an in vitro assay system for hydrogen peroxide scavenging (311) 259
Pasternak, G.W., see Rossi, G.C. (311) R7
Peng, C.-F., see Li, Y.-J. (311) 163

Perret, C., see Bézie, Y. (311) 241
Pitsikas, N. and Borsini, F.
Itasetron (DAU 6215) prevents age-related memory deficits in the rat in a multiple choice avoidance task (311) 115
Planta, R.J., see Gerhardt, C.C. (311) 249
Poklis, A., see Moore, K.A. (311) 133

Rae, G.A., see Teixeira, R.M. (311) 7
Rapoport, R.M., see Bazan, E. (311) 101
Rasmussen, J.S., see Andersen, P.H. (311) 95
Regoli, D., see Calò, G. (311) R3
Ribeiro, S.J., see Teixeira, R.M. (311) 7
Rizzi, A., see Calò, G. (311) R3
Romero-Avila, M.T., see García-Sáinz, J.A. (311) 277
Rossi, G.C., Leventhal, L. and Pasternak, G.W.
Naloxone sensitive orphanin FQ-induced analgesia in mice (311) R7

Sakakibara, F., see Hotta, N. (311) 199
Sakamoto, N., see Hotta, N. (311) 199
Salvadori, S., see Calò, G. (311) R3
Samson, F., see Bézie, Y. (311) 241
Santos, A.R.S., see Teixeira, R.M. (311) 7
Savci, V. and Ulus, I.H.
Central choline reverses hypotension caused by α-adrenoceptor or ganglion blockade in rats: the role of vasopressin (311) 153
Schäfer, M., see Mousa, S.A. (311) 221
Schorlemmer, H.U., see Nicoletti, F. (311) 213
Scopes, D.I.C., see Brown, J.D. (311) 305
Shibuya, M., see Asano, M. (311) 53
Shieh, G.-J. and Walters, D.E.
Stimulating dopamine D_1 receptors increases the locomotor activity of developing rats (311) 103
Søegaard-Nielsen, L., see Andersen, P.H. (311) 95
Stein, C., see Mousa, S.A. (311) 221
Stidsen, C.E., see Andersen, P.H. (311) 95
Stoof, J.C., see Mansvelder, H.D. (311) 293
Strigas, J. and Burcher, E.
Autoradiographic localization of tachykinin NK_2 and NK_1 receptors in the guinea-pig lung, using selective radioligands (311) 177
Su, T.-P., see Tsao, L.-I. (311) R1
Sugita, K., see Asano, M. (311) 53
Suzuki, Y., see Asano, M. (311) 53

Taylor, L., see Meng, F. (311) 285
Teixeira, R.M., Santos, A.R.S., Ribeiro, S.J., Calixto, J.B., Rae, G.A. and De Lima, T.C.M.
Effects of central administration of tachykinin receptor agonists and antagonists on plus-maze behavior in mice (311) 7
Theobald Jr., R.J.
The effect of N^G-monomethyl-L-arginine on bladder function (311) 73
Thomas, P.T., see Bhargava, H.N. (311) 127
Thompson, R.C., see Meng, F. (311) 285
Toda, N., see Zhang, J.-X. (311) 169
Tsao, L.-I. and Su, T.-P.
IP_3 receptor antagonist heparin uncompetitively inhibits [^{3}H](+)-SKF-10047 binding to σ receptors (311) R1
Tseng, L.F., see Narita, M. (311) 121
Tsuchiya, K., see Inoue, T. (311) 1
Tygesen, C.K., see Andersen, P.H. (311) 95

Ueda, Y., see Meng, F. (311) 285
Ulus, I.H., see Savci, V. (311) 153

Van Heerikhuizen, H., see Gerhardt, C.C. (311) 249
Vreugdenhil, E., see Gerhardt, C.C. (311) 249

Walters, D.E., see Shieh, G.-J. (311) 103
Watanabe, K., see Kimura, T. (311) 265
Watson, S.J., see Meng, F. (311) 285
Wood, J.D., see Zafirov, D. (311) 61
Woodward, J.J., see Moore, K.A. (311) 133

Xia, Y., see Zafirov, D. (311) 61
Xiao, Z.-S., see Li, Y.-J. (311) 163

Yamamoto, I., see Kimura, T. (311) 265
Yamano, M., see Nagakura, Y. (311) 67

Zafirov, D., Xia, Y., Furuhama, K. and Wood, J.D.
Actions of Daiichi DQ-2511 on electrical and synaptic behavior of enteric neurons in the guinea-pig small intestine (311) 61
Zhang, J.-X., Okamura, T. and Toda, N.
Pre- and postjunctional modulation by endothelin-1 of the adrenergic neurogenic response in canine mesenteric arteries (311) 169
Zhao, G.-M., see Bhargava, H.N. (311) 127